

Safety Data Sheet

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System Date of Revision: 08/12/2020 Revision: 01

Section 1 - Chemical Product and Company Identification

- 1.1 Product Name: Hand Sanitizer
- 1.2 Synonym: Blend
- 1.3 VP Racing Fuels, Inc., 7124 Richter Road, Elmendorf, TX 78112, 210.635.7744
- 1.4 Recommended Use: Hand Sanitizer
- **1.5 RESTRICTIONS on USE DO NOT DRINK!** This product is safe for external use on hands only.
- 1.6 Emergency Response Number: CHEMTREC 800-424-9300 International Emergency Telephone Number: +1-703-527-3887
- 1.7 See Section 16.3 for CHEMTREC in Country Emergency Numbers

Section 2 - Hazards Identification

2.1 GHS HAZARD

Hazard Classes

Flammable liquids
Eye Irritation

Hazard Categories

Category 2 Category 2A

2.2 Signal Word: Danger



2.4 Hazard Statements

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

PHYSICAL HAZARDS: H225: Highly Flammable liquid and vapor.

HEALTH HAZARDS: H319: Causes serious eye irritation.

ENVIRONMENTAL HAZARDS: H411: None

PRECAUTIONARY STATEMENTS: P102: Keep out of reach of children.

P210: Keep away from sparks and open flames-

No smoking.

P240: Ground or bond container and

receiving equipment.

P241: Use explosion-proof equipment. P242 Use only non-sparking tools.

P243 Take precautionary measures against

static discharge.

RESPONSE STATEMENTS: P305+P351: IF IN EYES: Rinse cautiously with

water for at least 15 minutes.

P313+P332: If eye irritation persists, get

medical attention.

P370: In case of fire, use foam, carbon dioxide,

dry chemical to extinguish the fire.

STORAGE STATEMENTS: P403+P235: Store in a well-ventilated place.

Keep cool.

DISPOSAL STATEMENTS: P501: Dispose of content and container per

local, regional, national, or international

regulations.

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: For external use only!

Section 3 - Composition / Information on Ingredients

3.1

CAS#	EC#	Chemical Names	Percent	Classification
64-17-5	200-578-6	Ethanol	80	Flam. Liq. 2 H225, Eye Irrit. 2 H319
56-81-5	200-289-5	Glycerol	1.5	Not Classified
7722-84-1	231-765-0	Hydrogen Peroxide		Ox. Liq. 1 H272, Eye Irrit. 2 A H319, Skin Irrit, H315
7732-18-5	231-791-2	Water	18.4	Not classified

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead to irritation and dermatitis.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

4.3 Ingestion: Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

4.4 Inhalation: Prolonged breathing of high vapor concentrations can produce headaches, dizziness, nausea, and impaired vision.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

- **4.5** After first aid, get appropriate paramedic, or community medical support. The severity of outcome following exposure may be more related to the time between the exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.
- 4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, per OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

Section 5 - Fire-Fighting Measures

- **5.1 General Fire Hazards:** Use water to cool containers exposed to fire.
- **5.2 Hazardous Combustion Products:** Avoid fumes of burning products.
- **5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.
- **5.4** Fire Fighting Equipment/Instructions: Firefighters should wear full-face, self-contained breathing apparatus, and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

Section 6 - Accidental Release Measures

- **6.1 Spill /Leak Procedures:** Ventilate area highly flammable. Spillages of the liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.
- **6.2 Spills:** Avoid direct contact with the material. Stop leak if without risk. Move containers from the spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place in a container for disposal.

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 7 - Handling and Storage

- **7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Keep the container tightly closed. Avoid inhalation.
- 7.2 Storage Requirements: Store in a tightly closed container in a cool, dry, and well-ventilated area.

Section 8 - Exposure Controls / Personal Protection

8.1

Chemical Names	ACGIH- TLV	OSHA - PEL	
Ethanol	1000ppm TWA	1000ppm TWA	
Glycerol	10mg/m3 TWA	15mg/m3 TWA	
Hydrogen Peroxide	1.4mg/m3	1.4mg/m3	

8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.

OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

- **8.3 Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.
- **8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse.

Remove this material from your shoes and clean personal protective equipment.

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton Splash contact: Viton

Registered trademark of The Chemours Company FC, LLC.

8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

8.5.4 Skin and body protection

Impervious clothing, flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

8.6 Protective Clothing Pictograms



Section 9 - Physical and Chemical Properties

9.1

Physical State: Liquid
Appearance: Clear Colorless
Odor: Aromatic Not Available
Vapor Pressure: Not Available
Vapor Density (Air=1): Not Available
Specific Gravity (H2O=1,): 0.851
Relative Density: Not Available
Odor Threshold: Not Available

Flammability (solid, gas): Not applicable.

Evaporation rate: Not Available

Partition coefficient octanol/water: Not

Available

Water Solubility: Insoluble

Melting point/freezing point: Not Available Flash Point: 64°F, (18°C) close cup Boiling Point / Range: Not Available

Lower Explosive Limits (vol % in air): Not Available Upper Explosive Limits (vol % in air): Not Available

Viscosity: Not Available

Autoignition Temperature: Not Available Decomposition temperature: Not Available

pH: 5-9

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage

10.2 Polymerization: Hazardous polymerization has not been reported

10.3 Chemical Incompatibilities: Strong oxidizing agents

10.4 Hazardous Decomposition Products: Combustion produces carbon monoxide and carbon dioxide

10.5 Conditions to Avoid: Avoid heat, sparks open flames and other ignition sources

Section 11- Toxicological Information

11.1

ATE (Oral): 3450 mg/kg ATE (Dermal):2000 > mg/kg

ATE (Inhalation vapor/mist): >20 mg/l

- **11.1.1** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Oral Toxicity.
- **11.1.2** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Dermal Toxicity.
- **11.1.3** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Inhalation Toxicity.
- **11.2** Route of Entry: Eye Contact.

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

- **11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that no components of this product may be fatal if swallowed and enters airways.
- **11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause genetic defects.
- **11.5** Skin Corrosion/Irritation: OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.
- **11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.
- **11.7 Reproductive toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause damage to fertility or the unborn child.
- **11.8 Skin Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause skin sensitivity.
- **11.9 Respiratory Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause respiratory sensitivity.
- **11.10** Specific Target Organ Toxicity (Single Exposure): European Chemical Agency Data Base shows that components no of this product may cause damage to Target Organ Toxicity due to a single exposure.
- **11.11 Specific Target Organ Toxicity (Repeated Exposure):** European Chemical Agency Data Base shows that components no of this product may cause damage to Target Organ Toxicity due to repeat exposure.
- **11.12 Signs and Symptoms:** Effects due to exposure may include: Headache, Dizziness, Drowsiness. Symptoms may be delayed.
- **11.13 Carcinogenicity:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause cancer.

Section 12 - Ecological Information

12.1

· -			
Product Name	Results	Species	Exposure
Ethanol	LC50 14200 mg/l	Fish	96 hours
Glycerol	LC50 54000 mg/l	Fish	96 hours
Hydrogen Peroxide	LC50 16.4 mg/l	Fish	96 hours

Toxicity: OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause long-term toxicity to aquatic life.

12.2 Mobility: Floats on water.

12.3 Persistence/degradability: Inconclusive technical data.

12.4 Bioaccumulation: Inconclusive technical data.

12.5 Other adverse effects: Inconclusive technical data.

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! The container should be emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information

14.1 DOT Transport Information



ID No.: UN 1170

Shipping Name: Ethanol Solution

Hazard Class:3
Packing Group: Il
Label: Flammable
Placard: Flammable

14.2 IMDG Transport Information



ID No.: UN 1170

Shipping Name: ETHANOL SOLUTION

Hazard Class: 3
Packing Group: II
Flash Point: (18°C c.c.)
EmS Number: F-E, S-D
Label: Flammable
Placard: Flammable

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

14.3 UN Dangerous Goods Transport Information



ID No.: UN 1170

Shipping Name: Ethanol Solution

Hazard Class:3
Packing Group: II
Label: Flammable
Placard: Flammable

Section 15 - Regulatory Information

15.1 US Regulations

15.1 US Regulations:

TSCA: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

Toxic Release Inventory (TRI): This product doesn't contain chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know- Act of 1986 (40 CFR 372).

CERCLA Hazardous Substances and corresponding RQs: None

SARA Community Right-to-Know Program: None

Clean Water Act: None

Clean Air Act: None

OSHA: All ingredients are listed in 29 CFR 1910.1200

State Regulations

No Prop 65 Warning www.P65Warnings.ca.gov."

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements.

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements.

Pennsylvania: All components of this product are on the Pennsylvania Inventory or are exempt from Inventory requirements.

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

15.2 International Regulations:

Australian Inventory of Chemical Substances: All components of this product are on the Inventory or are exempt from Inventory requirements

National Existing Chemical Inventory in Taiwan: All components of this product are on Inventory or are exempt from Inventory requirements

Philippine Inventory of Chemicals and Chemical Substances All components of this product are on the Inventory or are exempt from Inventory requirements

China Existing Chemical Inventory: All components of this product are on the Inventory or are exempt from Inventory requirements

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. **16.2 References:** CHEMpendium database of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency DataBase Chinese Data Base Classification Labeling of Hazardous Chemicals, Australia Data Base for GHS Chemical Classification and MSDS and SDS of chemicals in this mixture.

16.3 CHEMTREC in-country emergency dial numbers:

CHEMTREC In-Country Dial Numbers	Local # Provided in Country	Toll Free in Country*	Greeting Language	
AMERICAS				
CHEMTREC Argentina (Buenos Aires)	+(54)-1159839431		Latin American Spanish	
CHEMTREC Brazil (Rio De Janeiro)	+(55)-2139581449		Portuguese	
CHEMTREC Cayman Islands	+(1)-345-749-8392		English	
CHEMTREC Chile (Santiago)	+(56)-225814934		Latin American Spanish	
CHEMTREC Colombia *		01800-710-2151	Latin American Spanish	
CHEMTREC Costa Rica*	+(506)-40003869		Latin American Spanish	
CHEMTREC Mexico*		01-800-681-9531	Latin American Spanish	
CHEMTREC Panama	+(507)-8322475		Latin American Spanish	
CHEMTREC Peru (Lima)	+(51)-17071295		Latin American Spanish	
CHEMTREC Trinidad and Tobago*	+(1)-868-224-5716		English	

Conforms to 29 OSHA CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

16.3 CHEMTREC in-country emergency dial numbers continued:

MIDDLE EAST				
CHEMTREC Bahrain (Bahrain)	+(973)-16199372		Arabic	
CHEMTREC Israel (Tel Aviv)	+(972)-37630639		Hebrew	
CHEMTREC Saudi Arabia*	+(966)-8111095861		Arabic and English	
CHEMTREC Kuwait National	+965-22274681		Arabic and English	
	SUB SAHARAN A	FRICA		
CHEMTREC South Africa*		0-800-983-611	English	
	EAST ASIA			
CHEMTREC Hong Kong (Hong Kong)*		800-968-793	Cantonese	
CHEMTREC Japan (Tokyo)	+(81)-345209637		Japanese	
CHEMTREC South Korea*		00-308-13-2549	Korean	
CHEMTREC South Korea	+(82) 070-7686-0086		Korean	
CHEMTREC Taiwan*		00801-14-8954	Mandarin	
SOUTHEAST ASIA				
CHEMTREC Indonesia*		001-803-017-9114	Indonesian	
CHEMTREC Malaysia *		1-800-815-308	Malay	
CHEMTREC Malaysia (Kuala Lumpur)	+(60)-327884561		Malay	
CHEMTREC Philippines *		1-800-1-116-1020	Tagalog	
CHEMTREC Philippines (Manila)	+(63) 2-395-3308		Tagalog	
CHEMTREC Singapore*		800-101-2201	English and Mandarin	
CHEMTREC Singapore	+(65)-31581349		English and Mandarin	
CHEMTREC Thailand *		001-800-13-203-9987	Thai	
CHEMTREC Vietnam (Hanoi)*	+(84)-444581938		Vietnamese	
	SOUTH ASIA	Ä		
CHEMTREC Bangladesh††	N/A	N/A	Bengali	
CHEMTREC India *		000-800-100-7141	Hindi	
	AUSTRALIA & OC	EANIA		
CHEMTREC Australia (Sydney)	+(61)-290372994		English	
CHEMTREC New Zealand	·/C4\ 00010034		Fnalish	
(Auckland)*	+(64)-98010034		English	
*Phone numbers for countries marked with an asterisk must be dialed within the country				
*Phone numbers for countries marked with an asterisk must be dialed within the country.				
†† Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC				

16.4 SDS Preparation Date 04/21/2020

SDS Previous Issue Date: None

SDS Revision Date: 08/12/2020 Revised Section 1

Prepared by SJC Compliance Education, Inc.

1319 Varese Dr. Pearland, TX. VP@sjcedu.org

